

























































































































































































































































































Cert.	Updated: 10th-Sep-15															
	Carats	Color	Clarity	Prop.	Pol.	Syn	Fluo.	Table	Crown	Pav.	Dia.Min	Dia.Max	Height	rap-%	0	rap
ROUNDS (7.00 - 9.99)																
	9,34	Q - R	SI1	VG	G	G	STRONG	63,0	12,0	44,5	13,43	13,67	8,23		7644	
ROUNDS (6.00 - 6.99)																
	6,02	J	VVS2	EX	EX	EX	NONE	62,0	12,5	43,5	11,84	11,86	7,02	-18	20090	24500
ROUNDS (5.00 - 5.99)																
	5,35	I	SI1	EX	EX	EX	NIL	60,0	13,5	43,5	11,34	11,36	6,83	-31	14490	21000
	5,28	J	VS2	EX	VG	EX	NONE	61,0	13,0	44,0	11,30	11,32	6,80	-28	16560	23000
	5,02	K	VVS1	VG	VG	VG	NIL	63,0	11,0	45,0	11,46	11,56	6,62	-30	14350	20500
	5,28	K	VS2	VG	VG	VG	MEDIUM	64,0	12,5	44,0	11,31	11,38	6,76	-30	11900	17000
543	ROUNDS (4.00 - 4.99)															
	4,20	E	VVS1	EX	EX	EX	NIL	60,0	12,5	44,0	10,59	10,62	6,27	-21	52140	66000
	4,21	F	VS2	EX	VG	EX	RONG BL	57,0	15,5	43,0	10,27	10,30	6,41	-43	20862	36600
	4,21	F	VS2	EX	EX	EX	SLIGHT	56,5	15,5	43,0	10,27	10,31	6,42	-43	20862	36600
	4,01	F	VS2	VG	VG	EX	RONG BL	57,0	15,5	44,0	10,22	10,24	6,33	-43	20862	36600
	4,01	F	VS2	EX	EX	EX	SLIGHT	57,0	15,5	44,0	10,55	10,25	6,34	-43	20862	36600
	4,08	G	IF	VG	VG	VG	NIL	63,0	11,5	44,0	10,46	10,62	6,15	-28	36000	50000
	4,11	I	VVS2	EX	EX	EX	NIL	58,0	14,5	43,5	10,36	10,37	6,32	-29	17040	24000
	4,02	J	VS1	VG	VG	VG	MEDIUM	57,0	15,5	44,0	9,95	10,04	6,39	-35	11895	18300
	4,08	K	IF	VG	VG	VG	NIL	59,0	15,5	42,0	10,28	10,29	6,22	-37	11529	18300
ROUNDS (3.00 - 3.99)																
	3,03	D	IF	VG	EX	EX	SLIGHT	65,0	11,0	44,0	9,55	9,61	5,51	-43	52440	92000
	3,01	E	IF	VG	VG	G	SLIGHT	64,0	13,0	45,0	9,15	9,38	5,72	-23	47124	61200
	3,20	E	VVS1	VG	VG	VG	STRONG	63,0	11,5	43,5	9,77	9,89	5,61	-38	33666	54300
	3,01	E	VS2	VG	VG	VG	NIL	55,0	16,0	43,0	9,02	9,08	5,82	-31	21321	30900
	3,02	F	VS2	EX	EX	EX	NIL	61,0	12,5	43,0	9,44	9,48	5,55	-23	21560	28000
	3,01	F	VS2	VG	EX	EX	NIL	58,0	16,0	43,0	9,00	9,06	5,78	-31	19320	28000
	3,01	F	VS2	VG	EX	EX	NONE	55,0	16,5	43,0	9,01	9,07	5,81	-23	21560	28000
	3,03	G	VVS1	VG	EX	VG	NIL	56,0	16,5	42,5	9,02	9,08	5,79	-29	25063	35300
	3,39	G	VVS2	EX	EX	EX	NIL	59,0	14,5	43,0	9,68	9,72	5,87	-23	23716	30800
	3,03	G	VS1	VG	VG	VG	MEDIUM	56,0	17,0	41,5	9,11	9,16	5,75	-26	20276	27400
	3,01	G	VS1	EX	EX	EX	NIL	57,0	15,0	43,0	9,21	9,27	5,70	-33	18358	27400
	3,70	G	VS2	VG	EX	EX	MEDIUM	58,0	15,5	43,0	9,86	9,91	6,13	-26	17020	23000
	3,01	G	VS2	VG	VG	EX	NIL	60,0	14,0	44,5	9,09	9,16	5,76	-28	16560	23000
	3,01	G	VS2	VG	EX	EX	NONE	58,0	16,0	43,0	9,00	9,04	5,79	-18	18860	23000
	3,01	G	VS2	VG	VG	VG	NIL	57,0	16,5	42,0	9,04	9,10	5,73	-28	16560	23000
	3,25	H	VVS1	EX	EX	EX	SLIGHT	63,0	13,0	43,5	9,58	9,61	5,77	-31	18975	27500
	3,23	H	VVS2	EX	EX	EX	SLIGHT	59,0	14,5	43,5	9,36	9,42	5,85	-31	17388	25200
	3,04	H	VVS2	EX	EX	EX	MEDIUM	60,0	13,0	44,0	9,27	9,32	5,68	-36	16128	25200
	3,23	H	VS1	EX	EX	EX	SLIGHT	58,0	14,0	43,5	9,52	9,55	5,82	-25	17100	22800
	3,05	H	VS1	EX	EX	EX	SLIGHT	61,0	12,5	43,0	9,50	9,54	5,58	-27	16644	22800
	3,02	H	VS1	EX	EX	EX	NIL	59,0	13,5	44,5	9,26	9,32	5,75	-33	15276	22800
	3,01	H	VS1	VG	VG	EX	NIL	57,0	14,5	43,5	9,05	9,14	5,74	-31	15732	22800
	3,23	H	VS2	EX	EX	VG	NIL	57,0	15,5	43,0	9,42	9,46	5,84	-33	12730	19000
	3,01	H	VS2	EX	VG	VG	NIL	57,0	14,5	44,5	9,15	9,28	5,77	-31	13110	19000
	3,30	I	VVS1	VG	VG	VG	NIL	61,0	11,5	44,5	9,80	9,86	5,79	-26	15244	20600
	3,41	I	VVS2	VG	VG	VG	NIL	56,0	14,5	42,5	9,62	9,69	5,90	-33	13065	19500
	3,00	I	VVS2	VG	EX	EX	NIL	54,0	15,5	42,5	9,08	9,14	5,76	-29	13845	19500
	3,03	I	VS1	VG	VG	EX	NIL	58,0	15,5	44,0	9,09	9,16	5,81	-28	13176	18300
	3,04	J	VVS2	VG	VG	VG	NIL	65,0	11,0	44,0	9,52	9,55	5,54	-28	11376	15800
	3,01	J	SI2	EX	EX	EX	NIL	58,0	15,0	43,5	9,18	9,24	5,75	-30	6860	9800
	3,08	L	VVS2	VG	EX	VG	NIL	61,0	14,5	44,5	9,16	9,26	5,81	-36	6784	10600
	3,06	M	IF	VG	VG	VG	NIL	61,0	15,0	43,5	9,08	9,21	5,76	-35	6240	9600
ROUNDS (2.00 - 2.99)																
	2,01	D	IF	EX	EX	EX	NONE	57,0	14,0	44,5	8,13	8,16	5,03	-28	33192	46100
	2,24	E	IF	VG	VG	G	SLIGHT	64,5	11,5	44,0	8,48	8,51	5,06	-30	23310	33300
	2,66	E	VVS1	VG	VG	VG	MEDIUM	62,0	13,5	44,5	9,03	9,11	5,43	-23	22561	29300
	2,01	E	VVS1	VG	EX	G	NIL	66,0	12,5	42,5	8,07	8,18	4,81	-28	21096	29300
	2,08	E	VVS2	EX	EX	EX	:DIUM BL	59,0	13,0	43,5	8,22	8,26	4,99	-23	19943	25900
	2,06	E	VVS2	EX	EX	EX	:DIUM BL	59,0	13,0	43,0	8,23	8,28	4,95	-23	19943	25900
	2,48	E	VS1	VG	VG	G	NIL	65,0	13,0	43,0	8,86	9,00	5,15	-22	17784	22800
	2,15	E	VS1	EX	VG	EX	NONE	57,0	15,5	43,5	8,22	8,27	5,15	-23	17556	22800
	2,03	E	VS1	EX	EX	EX	NONE	56,0	15,5	43,0	8,12	8,15	5,05	-23	17556	22800
	2,02	E	VS1	EX	EX	EX	NONE	57,0	15,0	43,5	8,04	8,09	5,04	-23	17556	22800
	2,01	E	VS1	VG	VG	VG	FAINT	61,0	11,5	43,5	8,26	8,30	4,85	-33	15276	22800
	2,01	E	SI1	EX	EX	EX	NONE	56,0	16,0	43,0	8,00	8,05	5,03	-21	11455	14500
	2,04	F	IF	EX	EX	EX	NIL	60,0	13,0	44,0	8,32	8,35	4,93	-26	21460	29000


















































Cert.	Carats	Color	Clarity	Prop.	Pol.	Syn	Fluo.	Table	Crown	Pav.	Dia.Min	Dia.Max	Height	rap-%	0	rap
	2,60	F	VVS1	EX	EX	EX	FAINT	55,0	15,0	43,5	8,83	8,87	5,46	-18	20828	25400
	2,23	F	VS2	EX	EX	EX	NONE	59,0	15,0	43,5	8,34	8,37	5,18	-19	13689	16900
	2,01	F	VS2	VG	EX	EX	NONE	65,0	12,5	43,0	7,98	8,03	4,87	-32	11492	16900
	2,27	G	IF	VG	VG	EX	SLIGHT	59,0	15,5	43,0	8,31	8,36	5,20	-28	16848	23400
	2,09	G	IF	EX	VG	EX	NIL	62,0	12,0	44,0	8,37	8,42	4,96	-31	16146	23400
	2,08	G	IF	EX	VG	EX	NIL	60,0	13,5	44,0	8,30	8,31	5,01	-28	16848	23400
	2,07	G	IF	EX	VG	EX	SLIGHT	58,5	14,0	44,5	8,12	8,20	5,08	-28	16848	23400
	2,07	G	IF	VG	EX	VG	SLIGHT	63,0	14,0	44,0	8,08	8,18	5,00	-28	16848	23400
	2,42	G	VVS2	VG	VG	VG	NIL	65,0	12,0	44,0	8,81	8,95	5,14	-28	13032	18100
	2,04	G	VVS2	EX	EX	EX	MEDIUM	59,0	14,0	43,5	8,16	8,20	4,98	-23	13937	18100
	2,12	G	VS1	VG	VG	VG	NIL	63,0	11,0	43,5	8,47	8,48	4,88	-29	11502	16200
	2,02	G	VS1	VG	VG	VG	NIL	64,0	13,0	43,5	8,16	8,25	4,90	-29	11502	16200
	2,02	G	VS1	VG	EX	VG	NIL	64,0	11,0	42,0	8,47	8,51	4,71	-29	11502	16200
	2,01	G	VS1	VG	G	G	MEDIUM	61,0	12,5	44,5	8,10	8,16	4,92	-32	11016	16200
	2,01	G	VS1	EX	VG	VG	NIL	61,0	13,5	43,0	8,06	8,10	4,91	-29	11502	16200
	2,04	G	SI1	EX	EX	EX	NONE	56,0	16,0	43,0	8,04	8,08	5,06	-21	9796	12400
	2,13	G	SI2	VG	VG	VG	NIL	61,0	14,5	42,0	8,16	8,23	4,98	-31	6831	9900
	2,18	H	IF	EX	EX	EX	NIL	56,0	15,5	43,0	8,32	8,35	5,13	-27	12629	17300
	2,01	H	IF	EX	EX	VG	NIL	55,0	16,0	43,0	8,06	8,09	5,00	-27	12629	17300
	2,25	H	VVS1	EX	EX	EX	NONE	60,0	13,5	43,5	8,37	8,41	5,14	-21	13272	16800
	2,15	H	VVS1	VG	VG	VG	NIL	66,0	11,5	45,0	8,44	8,45	5,01	-23	12936	16800
	2,03	H	VVS1	EX	VG	EX	STRONG	62,0	12,5	44,5	8,14	8,24	4,96	-36	10752	16800
	2,01	H	VVS1	EX	EX	EX	NIL	60,0	13,0	44,5	8,13	8,16	4,97	-23	12936	16800
	2,14	H	VVS2	EX	EX	EX	NIL	58,0	15,0	43,5	8,18	8,22	5,13	-23	12089	15700
	2,08	H	VVS2	EX	EX	EX	SLIGHT	57,0	15,0	43,5	8,21	8,26	5,06	-23	12089	15700
	2,04	H	VVS2	EX	EX	EX	NIL	58,0	14,5	44,5	8,04	8,09	5,07	-23	12089	15700
	2,03	H	VVS2	EX	EX	EX	NIL	56,0	16,0	43,0	8,02	8,07	5,05	-23	12089	15700
	2,02	H	VVS2	VG	EX	EX	SLIGHT	59,0	15,5	43,5	8,00	8,04	5,03	-27	11461	15700
	2,01	H	VVS2	EX	EX	EX	NONE	56,0	16,0	43,0	8,01	8,04	5,04	-21	12403	15700
	2,14	H	VS1	VG	VG	VG	MEDIUM	65,0	11,0	43,0	8,63	8,67	4,86	-25	10725	14300
	2,10	H	SI2	VG	VG	VG	NIL	58,0	16,0	43,5	8,09	8,15	5,13	-23	7238	9400
	2,02	I	IF	EX	EX	EX	SLIGHT	62,0	13,5	43,0	8,18	8,21	4,90	-35	8645	13300
	2,01	I	VVS1	VG	VG	VG	NIL	57,0	15,5	44,5	7,99	8,06	5,09	-23	9856	12800
	2,01	I	VVS1	EX	EX	EX	NIL	56,0	15,0	43,5	8,07	8,10	5,01	-25	9600	12800
	2,04	I	VVS2	VG	EX	VG	SLIGHT	54,0	16,5	44,0	8,04	8,17	5,15	-33	8174	12200
	2,01	I	VS1	VG	EX	EX	NIL	58,0	16,0	43,5	7,94	8,01	5,05	-28	8208	11400
	2,20	I	VS2	VG	EX	EX	SLIGHT	56,0	16,0	42,5	8,26	8,31	5,17	-22	8268	10600
	2,01	I	SI1	VG	VG	EX	NIL	56,0	17,0	42,5	7,84	7,93	5,07	-27	7081	9700
	2,07	I	SI2	EX	EX	EX	NIL	60,0	14,5	44,0	8,10	8,12	5,06	-30	5880	8400
	2,07	J	VVS1	VG	G	G	SLIGHT	64,0	12,0	45,0	8,16	8,26	5,01	-32	6800	10000
	2,50	J	VS1	EX	VG	EX	MEDIUM	62,0	13,5	43,5	8,69	8,70	5,30	-30	6370	9100
	2,01	J	VS1	VG	VG	EX	NIL	64,0	11,0	44,5	8,28	8,30	4,87	-29	6461	9100
	2,05	J	SI1	VG	VG	VG	NIL	57,0	16,0	43,5	8,01	8,08	5,11	-31	5727	8300
	2,15	K	IF	VG	VG	EX	SLIGHT	63,0	11,5	43,5	8,51	8,53	4,93	-29	6745	9500
	2,06	K	IF	VG	EX	VG	NIL	63,0	13,0	44,5	8,13	8,19	5,01	-33	6365	9500
	2,04	K	IF	EX	VG	VG	NONE	61,5	12,5	43,5	8,36	8,43	4,88	-29	6745	9500
	2,04	K	VVS2	VG	VG	G	NIL	57,0	13,0	44,5	8,21	8,27	5,03	-27	6059	8300
	2,13	L	IF	VG	EX	VG	NIL	54,0	14,5	44,0	8,17	8,29	5,16	-29	5822	8200
ROUNDS (1.50 - 1.99) use 102																
	1,51	D	VVS1	VG	VG	VG	MEDIUM	59,0	15,5	44,5	7,33	7,38	4,59	-38	13516	21800
	1,60	D	VVS2	EX	EX	EX	NONE	55,0	16,5	42,5	7,43	7,48	4,67	-19	15471	19100
	1,58	D	VVS2	EX	EX	EX	NONE	58,0	14,5	44,5	7,41	7,44	4,66	-19	15471	19100
	1,57	D	VVS2	EX	EX	EX	NONE	58,0	15,0	43,0	7,39	7,42	4,62	-19	15471	19100
	1,55	D	VVS2	VG	EX	VG	NIL	62,0	11,5	45,0	7,52	7,58	4,51	-29	13561	19100
	1,69	E	VVS2	EX	EX	EX	NIL	62,0	12,0	44,5	7,78	7,80	4,64	-28	11448	15900
	1,78	E	VS1	VG	VG	VG	NIL	65,0	12,0	45,0	7,86	7,94	4,71	-30	10500	15000
	1,57	E	VS1	VG	VG	VG	NIL	64,0	11,0	43,5	7,76	7,80	4,39	-33	10050	15000
	1,50	E	VS2	VG	EX	EX	NIL	63,0	12,0	44,0	7,47	7,48	4,43	-30	9170	13100
	1,51	E	SI2	VG	VG	VG	NIL	57,0	16,5	43,5	7,21	7,26	4,62	-26	6290	8500
	1,54	F	IF	VG	EX	VG	STRONG	64,0	12,5	43,5	7,55	7,64	4,41	-31	12834	18600
	1,51	F	IF	VG	EX	VG	SLIGHT	60,0	15,0	43,5	7,20	7,23	4,56	-28	13392	18600
	1,74	G	IF	VG	VG	G	NIL	61,0	14,0	44,0	7,66	7,70	4,73	-23	11473	14900
	1,73	G	IF	VG	VG	G	NONE	62,5	10,5	44,0	7,85	8,00	4,61	-26	11026	14900
	1,58	G	IF	VG	EX	VG	NIL	64,0	12,0	44,5	7,64	7,71	4,50	-31	10281	14900
	1,57	G	VVS1	EX	EX	EX	FAINT	56,0	16,0	43,5	7,38	7,42	4,67	-24	10336	13600
	1,56	G	VVS1	VG	VG	VG	NIL	66,0	11,0	44,5	7,70	7,75	4,44	-28	9792	13600
	1,56	G	VS1	EX	EX	EX	FAINT	58,0	14,5	44,5	7,39	7,41	4,63	-24	8664	11400


































Cert.	Carats	Color	Clarity	Prop.	Pol.	Syn	Fluo.	Table	Crown	Pav.	Dia.Min	Dia.Max	Height	rap-%	0	rap
	1,52	G	VS1	EX	EX	EX	NONE	57,0	15,5	43,0	7,33	7,37	4,57	-23	8778	11400
	1,61	H	IF	EX	EX	EX	FAINT	56,0	14,5	44,5	7,49	7,53	4,69	-24	9120	12000
	1,60	H	IF	VG	EX	VG	NIL	64,0	12,0	45,0	7,48	7,58	4,59	-29	8520	12000
	1,59	H	IF	VG	EX	VG	NIL	62,0	13,0	43,0	7,66	7,69	4,46	-29	8520	12000
	1,52	H	VVS1	EX	EX	EX	NONE	60,0	12,5	44,0	7,56	7,57	4,47	-23	8624	11200
	1,60	H	VS1	EX	EX	VG	SLIGHT	62,0	12,0	43,5	7,68	7,70	4,50	-28	7056	9800
	1,59	H	VS2	EX	EX	EX	FAINT	57,0	16,0	43,5	7,41	7,44	4,66	-23	7238	9400
	1,55	I	IF	EX	VG	EX	NIL	56,0	15,0	43,0	7,45	7,48	4,57	-33	6298	9400
	1,69	I	VVS1	VG	EX	G	SLIGHT	56,0	14,5	44,0	7,59	7,62	4,75	-23	6930	9000
	1,64	I	VVS1	EX	VG	EX	NIL	61,0	12,0	43,5	7,77	7,78	4,56	-28	6480	9000
	1,55	I	VVS1	VG	VG	G	MEDIUM	65,0	13,5	44,5	7,29	7,42	4,57	-29	6390	9000
	1,78	I	VVS2	EX	EX	EX	NIL	62,0	12,5	44,0	7,92	7,94	4,70	-21	6715	8500
	1,51	I	VVS2	VG	EX	VG	SLIGHT	61,0	15,0	43,5	7,15	7,20	4,57	-25	6375	8500
	1,51	I	VVS2	EX	EX	EX	NONE	57,0	16,0	43,0	7,29	7,33	4,57	-19	6885	8500
	1,51	I	VVS2	EX	EX	VG	NIL	62,0	13,0	44,5	7,34	7,36	4,53	-26	6290	8500
	1,57	J	VVS1	VG	EX	VG	NIL	58,0	16,0	44,0	7,41	7,44	4,67	-28	5328	7400
	1,55	J	VVS2	EX	EX	EX	SLIGHT	61,0	12,5	44,0	7,60	7,62	4,47	-25	5400	7200
	1,69	J	VS1	VG	VG	VG	SLIGHT	65,0	11,5	44,5	7,77	7,79	4,60	-23	5390	7000
ROUNDS (1.00 - 1.49) use 207																
	1,40	D	IF	VG	EX	G	NIL	64,0	13,0	43,5	7,22	7,35	4,31	-31	15732	22800
	1,13	D	IF	EX	EX	EX	SLIGHT	60,0	13,0	43,5	6,76	6,77	4,06	-27	16644	22800
	1,05	D	IF	EX	EX	EX	NONE	60,0	13,0	44,0	6,59	6,61	3,97	-35	14820	22800
	1,04	D	IF	EX	EX	EX	FAINT	58,0	15,0	43,5	6,47	6,50	4,01	-26	16872	22800
	1,03	D	IF	VG	EX	VG	NIL	62,0	11,5	44,5	6,43	6,54	3,95	-36	14592	22800
	1,02	D	IF	EX	EX	VG	FAINT	61,0	13,0	43,5	6,49	6,52	3,94	-34	15048	22800
	1,02	D	IF	EX	EX	EX	NIL	62,0	12,0	44,0	6,58	6,61	3,88	-30	15960	22800
	1,01	D	IF	VG	EX	G	NONE	58,0	15,5	43,5	6,37	6,45	3,97	-33	15276	22800
	1,01	D	IF	VG	VG	G	NIL	66,0	11,0	44,0	6,63	6,73	3,81	-33	15276	22800
	1,01	D	IF	VG	EX	EX	SLIGHT	65,0	11,0	42,5	6,54	6,59	3,77	-29	16188	22800
	1,00	D	IF	G	VG	G	NIL	67,0	10,0	45,5	6,52	6,60	3,86	-44	12768	22800
	1,00	D	IF	VG	EX	G	NONE	54,5	16,5	42,0	6,37	6,39	3,98	-43	12996	22800
	1,05	D	VVS1	EX	EX	EX	NONE	56,0	16,0	42,5	6,48	6,50	4,05	-21	13430	17000
	1,05	D	VVS1	EX	EX	EX	NONE	60,0	13,5	44,5	6,47	6,50	4,06	-21	13430	17000
	1,02	D	VVS1	VG	VG	G	NIL	63,0	13,5	44,5	6,46	6,51	3,97	-38	10540	17000
	1,00	D	VVS1	EX	EX	VG	FAINT	59,0	14,0	43,0	6,42	6,47	3,90	-26	12580	17000
	1,28	D	VVS2	EX	EX	EX	NONE	59,0	14,0	43,5	6,95	7,00	4,28	-20	11840	14800
	1,28	D	VVS2	EX	EX	EX	NONE	58,0	15,5	43,0	6,92	6,95	4,32	-20	11840	14800
	1,27	D	VVS2	EX	EX	EX	NONE	56,0	16,0	43,0	6,90	6,93	4,33	-20	11840	14800
	1,21	D	VVS2	EX	EX	EX	NONE	58,0	14,0	43,5	6,86	6,88	4,19	-21	11692	14800
	1,05	D	VVS2	EX	EX	EX	NONE	62,0	12,5	44,0	6,63	6,65	3,97	-21	11692	14800
	1,04	D	VVS2	EX	EX	EX	NONE	57,0	15,0	43,0	6,43	6,45	4,03	-21	11692	14800
	1,03	D	VVS2	EX	EX	EX	NONE	58,0	15,0	43,5	6,39	6,45	4,02	-21	11692	14800
	1,03	D	VVS2	EX	EX	EX	FAINT	56,0	15,5	43,0	6,42	6,45	4,02	-22	11544	14800
	1,02	D	VVS2	EX	EX	EX	NONE	58,0	15,0	43,5	6,43	6,44	4,02	-21	11692	14800
	1,01	D	VVS2	EX	EX	EX	NONE	60,0	13,5	44,0	6,46	6,50	3,95	-21	11692	14800
	1,01	D	VVS2	EX	EX	EX	NONE	61,0	12,5	43,5	6,55	6,57	3,90	-21	11692	14800
	1,32	D	VS1	VG	EX	EX	NIL	60,0	14,5	44,0	7,04	7,12	4,32	-25	9075	12100
	1,10	D	VS1	EX	VG	EX	NONE	60,0	13,0	43,5	6,71	6,75	4,01	-24	9196	12100
	1,02	D	VS1	VG	VG	G	NIL	61,0	12,0	44,5	6,46	6,51	3,94	-28	8712	12100
	1,01	D	VS1	EX	EX	VG	NONE	57,0	16,0	44,0	6,36	6,40	4,03	-24	9196	12100
	1,06	D	VS2	VG	EX	EX	NIL	62,0	12,0	43,5	6,68	6,73	3,92	-29	7597	10700
	1,00	D	VS2	VG	EX	VG	NONE	57,0	16,0	43,0	6,20	6,29	4,03	-25	8025	10700
	1,22	D	SI1	EX	EX	VG	NIL	60,0	14,5	43,0	6,85	6,93	4,18	-21	6478	8200
	1,21	D	SI1	EX	EX	EX	SLIGHT	55,0	16,0	43,5	6,76	6,81	4,30	-25	6150	8200
	1,21	E	IF	EX	EX	EX	NONE	56,0	15,5	43,5	6,75	6,79	4,25	-26	11988	16200
	1,31	E	VVS1	EX	EX	EX	FAINT	56,0	16,5	43,0	6,94	6,97	4,38	-17	12201	14700
	1,11	E	VVS1	EX	EX	EX	NIL	62,0	12,5	44,5	6,72	6,75	4,06	-22	11466	14700
	1,11	E	VVS1	EX	EX	EX	NONE	57,0	15,5	43,0	6,63	6,65	4,12	-21	11613	14700
	1,03	E	VVS1	EX	EX	EX	MEDIUM	59,0	13,5	44,5	6,53	6,56	3,98	-28	10584	14700
	1,00	E	VVS1	G	VG	FAIR	NIL	60,0	15,0	45,0	6,14	6,26	4,06	-45	8085	14700
	1,00	E	VVS1	FAIR	EX	G	MEDIUM	64,0	15,0	46,0	6,04	6,13	4,08	-45	8085	14700
	1,00	E	VVS1	EX	EX	EX	FAINT	56,0	15,5	43,0	6,34	6,36	3,97	-23	11319	14700
	1,00	E	VVS1	VG	VG	G	NIL	65,0	12,5	44,5	6,45	6,51	3,88	-30	10290	14700
	1,07	E	VVS2	EX	EX	EX	NONE	59,0	14,5	44,0	6,51	6,55	4,08	-18	9758	11900
	1,23	E	VS1	VG	EX	VG	MEDIUM	64,0	12,5	45,0	6,89	6,98	4,20	-33	7169	10700
	1,00	E	VS1	FAIR	G	FAIR	MEDIUM	58,0	14,5	41,5	6,04	6,10	3,93	-43	6099	10700
	1,04	E	SI1	EX	VG	EX	NONE	61,0	13,0	43,5	6,58	6,62	3,94	-24	6004	7900

























































Cert.	Carats	Color	Clarity	Prop.	Pol.	Syn	Fluo.	Table	Crown	Pav.	Dia.Min	Dia.Max	Height	rap-%	0	rap	
	1,01	E	SI1	EX	EX	VG	NONE	61,0	13,0	43,5	6,41	6,43	3,93	-24	6004	7900	
	1,04	E	SI2	EX	EX	EX	MEDIUM	58,0	14,5	43,5	6,49	6,55	3,99	-28	4752	6600	
	1,12	F	IF	VG	VG	VG	MEDIUM	61,0	13,0	45,0	6,64	6,72	4,10	-33	9179	13700	
	1,02	F	IF	EX	EX	EX	FAINT	57,0	14,0	44,0	6,45	6,48	4,00	-27	10001	13700	
	1,07	F	VVS2	EX	EX	EX	NONE	56,0	16,0	43,0	6,48	6,52	4,10	-18	8774	10700	
	1,16	G	IF	VG	EX	VG	MEDIUM	60,0	14,5	44,0	6,70	6,76	4,17	-38	7006	11300	
	1,22	G	VVS1	VG	EX	EX	STRONG	60,0	14,5	44,0	6,71	6,80	4,27	-33	7035	10500	
	1,19	G	VVS1	EX	EX	EX	NONE	61,0	12,5	44,0	6,78	6,82	4,16	-23	8085	10500	
	1,18	G	VVS1	EX	EX	EX	NONE	62,0	12,5	43,5	6,88	6,91	4,09	-22	8190	10500	
	1,13	G	VVS1	EX	EX	EX	NONE	60,0	14,0	43,0	6,68	6,71	4,07	-25	7875	10500	
	1,01	G	VVS1	VG	VG	VG	MEDIUM	58,0	15,5	43,5	6,29	6,35	4,00	-28	7560	10500	
	1,31	G	VVS2	EX	EX	EX	NONE	60,0	13,5	44,0	7,02	7,04	4,32	-20	7600	9500	
	1,18	G	VVS2	VG	VG	VG	MEDIUM	62,0	12,5	43,5	6,96	6,98	4,07	-41	5605	9500	
	1,10	G	VVS2	EX	VG	VG	STRONG	62,0	13,5	43,5	6,68	6,73	4,02	-43	5415	9500	
	1,09	G	VVS2	EX	EX	EX	NONE	57,0	15,5	43,5	6,55	6,57	4,11	-20	7600	9500	
	1,01	G	VVS2	VG	EX	EX	SLIGHT	58,0	15,5	44,0	6,35	6,38	4,02	-24	7220	9500	
	1,01	G	VS1	VG	G	G	MEDIUM	58,0	15,0	43,0	6,36	6,38	3,96	-38	5332	8600	
	1,01	G	SI2	VG	VG	VG	MEDIUM	60,0	15,0	45,0	6,32	6,40	4,02	-22	4602	5900	
	1,22	H	IF	EX	EX	EX	FAINT	59,0	15,0	43,0	6,85	6,88	4,19	-30	6440	9200	
	1,22	H	IF	EX	EX	EX	SLIGHT	60,0	14,5	43,0	6,83	6,87	4,19	-30	6440	9200	
	1,29	H	VVS2	EX	EX	EX	NIL	59,0	14,5	43,5	6,95	6,96	4,31	-27	5913	8100	
	1,05	H	VVS2	EX	VG	VG	NIL	59,0	14,0	43,5	6,48	6,54	4,02	-27	5913	8100	
	1,04	H	VVS2	EX	EX	EX	NIL	60,0	14,0	43,5	6,48	6,51	3,99	-26	5994	8100	
	1,01	H	VVS2	VG	VG	G	NIL	58,0	15,0	44,0	6,24	6,43	4,03	-27	5913	8100	
	1,26	H	VS1	VG	VG	VG	NIL	64,0	13,0	44,0	6,99	7,02	4,20	-21	6004	7600	
	1,21	H	VS1	EX	EX	VG	NIL	62,0	13,5	43,5	6,76	6,79	4,18	-22	5928	7600	
	1,00	H	VS2	G	VG	VG	NONE	55,5	16,5	44,5	6,17	6,25	4,11	-28	5184	7200	
	1,10	H	SI1	EX	EX	EX	FAINT	56,0	16,0	43,5	6,55	6,59	4,14	-23	7238	9400	
	1,07	H	SI1	EX	EX	EX	NONE	57,0	15,5	43,5	6,52	6,54	4,09	-23	7238	9400	
	1,01	H	SI1	EX	EX	EX	FAINT	58,0	15,0	43,0	6,36	6,39	3,98	-23	7238	9400	
	1,15	H	SI2	EX	EX	EX	NONE	58,0	15,0	43,0	6,69	6,75	4,14	-30	3920	5600	
	1,35	I	IF	EX	EX	EX	NIL	62,0	12,5	43,0	7,17	7,20	4,27	-22	6084	7800	
	1,20	I	IF	EX	EX	EX	FAINT	56,0	16,0	43,0	6,77	6,80	4,26	-26	5772	7800	
	1,13	I	IF	EX	VG	EX	NIL	58,0	15,0	43,5	6,61	6,67	4,13	-35	5070	7800	
	1,02	I	IF	VG	EX	VG	STRONG	63,0	14,0	44,5	6,44	6,49	3,96	-41	4602	7800	
	1,39	I	VVS1	VG	VG	G	NIL	63,0	14,0	45,0	7,10	7,19	4,42	-23	5698	7400	
	1,23	I	VVS1	VG	VG	G	NIL	64,0	13,0	44,0	6,98	7,08	4,14	-28	5328	7400	
	1,21	I	VVS1	VG	VG	VG	NIL	63,0	12,5	43,0	6,94	7,05	4,06	-23	5698	7400	
	1,11	I	VVS1	EX	EX	EX	NONE	57,0	16,0	43,5	6,56	6,59	4,14	-22	5772	7400	
	1,22	I	VVS2	EX	EX	VG	NIL	62,0	13,5	44,5	6,88	6,95	4,21	-25	5175	6900	
	1,14	I	VVS2	VG	VG	VG	NIL	65,0	11,0	44,5	6,83	6,91	4,02	-24	5244	6900	
	1,01	I	VS1	VG	VG	G	NIL	59,0	15,5	44,0	6,29	6,39	3,99	-29	4757	6700	
	1,01	I	VS1	EX	EX	EX	FAINT	55,0	17,0	43,0	6,36	6,39	4,03	-23	5159	6700	
	1,22	I	VS2	EX	EX	EX	NIL	62,0	12,5	43,5	6,91	6,93	4,13	-25	4800	6400	
	1,11	I	VS2	VG	VG	VG	NIL	63,0	11,0	42,5	6,92	6,99	3,87	-25	4800	6400	
	1,04	I	VS2	VG	VG	G	NIL	61,0	11,0	45,0	6,60	6,65	3,99	-26	4736	6400	
	1,35	I	SI1	VG	VG	VG	SLIGHT	64,0	12,5	44,5	7,16	7,20	4,30	-25	4500	6000	
	1,21	I	SI2	EX	EX	EX	NIL	56,0	16,0	43,0	6,75	6,78	4,25	-26	3848	5200	
	1,07	J	IF	VG	VG	VG	NIL	64,0	13,0	45,0	6,53	6,65	4,01	-30	4480	6400	
	1,24	J	VVS1	VG	VG	VG	NIL	63,0	11,5	44,5	7,04	7,06	4,15	-27	4526	6200	
	1,17	J	VVS1	VG	EX	VG	NIL	60,0	14,5	43,5	6,79	6,81	4,15	-28	4464	6200	
	1,13	J	VVS1	EX	EX	VG	MEDIUM	61,0	13,5	44,5	6,76	6,79	4,09	-33	4154	6200	
	1,12	J	VVS1	EX	VG	VG	NIL	60,0	13,0	44,0	6,73	6,74	4,07	-33	4154	6200	
	1,07	J	VS2	VG	VG	G	NIL	61,0	14,5	44,5	6,55	6,60	4,07	-26	4070	5500	
	1,03	J	SI1	EX	VG	VG	SLIGHT	60,0	13,5	43,0	6,61	6,62	3,92	-23	3927	5100	
	1,14	K	VVS1	VG	VG	VG	NIL	65,0	11,5	44,5	6,79	6,90	4,04	-28	3744	5200	
	1,17	K	VVS2	VG	VG	G	SLIGHT	61,0	11,5	44,5	6,99	7,01	4,07	-27	3650	5000	
	1,10	K	VVS2	VG	VG	VG	NIL	63,0	13,0	44,5	6,73	6,79	4,04	-28	3600	5000	
	1,04	K	VVS2	VG	VG	VG	NIL	64,0	11,5	45,0	6,72	6,75	3,93	-29	3550	5000	
	1,05	K	VS1	EX	VG	EX	MEDIUM	57,0	15,0	44,0	6,49	6,53	4,06	-27	3504	4800	
	1,31	L	VVS2	VG	VG	VG	MEDIUM	65,0	11,5	43,5	7,16	7,27	4,17	-23	3465	4500	
ROUNDS (0.90 - 0.99)								use		950							
	0,90	D	VVS2	FAIR	VG	G	STRONG	58,0	16,0	45,0	5,83	5,86	3,98	-43	5643	9900	
	0,93	E	VVS1	VG	VG	VG	MEDIUM	64,0	11,0	43,0	6,50	6,62	3,66	-30	6930	9900	
	0,90	E	VVS1	EX	VG	VG	STRONG	58,0	15,0	43,0	6,14	6,18	3,83	-43	5643	9900	
	0,90	F	VS2	EX	EX	VG	NONE	56,0	16,0	42,5	6,14	6,17	3,83	-27	4891	6700	
	0,91	H	IF	EX	VG	VG	NONE	56,0	14,5	43,5	6,27	6,31	3,86	-25	6000	8000	

	Carats	Color	Clarity	Prop.	Pol.	Syn	Fluo.	Table	Crown	Pav.	Dia.Min	Dia.Max	Height	rap-%	0	rap
	0,91	H	VVS2	VG	VG	G	NONE	64,5	10,0	44,5	6,39	6,49	3,69	-28	4752	6600
	0,90	I	IF	VG	VG	G	NIL	62,0	12,5	44,5	6,24	6,29	3,79	-34	4422	6700
	0,90	I	VS1	VG	VG	G	NONE	60,5	12,5	44,0	6,19	6,26	3,77	-25	4050	5400
	0,90	I	VS2	VG	VG	VG	NONE	64,5	13,0	44,0	6,07	6,08	3,79	-32	3468	5100
	0,94	L	SI1	VG	VG	VG	NIL	54,0	16,0	43,5	6,21	6,24	3,94	-28	2160	3000
ROUNDS (0.70 - 0.89)								use	765							
	0,84	D	IF	VG	VG	VG	NIL	62,0	11,5	44,5	6,21	6,22	3,65	-25	7500	10000
	0,82	D	VVS2	VG	EX	VG	NIL	63,0	13,0	44,0	5,97	6,09	3,65	-20	5280	6600
	0,82	D	VVS2	EX	VG	EX	MEDIUM	60,0	14,0	43,5	6,00	6,02	3,69	-23	5082	6600
	0,70	D	VS2	EX	EX	VG	NONE	60,0	13,5	44,0	5,71	5,76	3,49	-22	4446	5700
	0,70	D	VS2	VG	EX	VG	NONE	58,0	15,5	44,0	5,56	5,64	3,55	-22	4446	5700
	0,70	D	VS2	EX	EX	VG	NONE	58,0	15,0	43,0	5,69	5,72	3,50	-26	4218	5700
	0,71	E	VS1	EX	EX	VG	NONE	57,0	15,5	43,0	5,68	5,72	3,54	-25	4350	5800
	0,70	E	VS2	VG	EX	VG	NONE	59,0	15,0	43,0	5,60	5,64	3,52	-22	4212	5400
	0,70	E	SI1	VG	EX	VG	NIL	66,0	13,0	44,5	5,64	5,70	3,47	-23	3619	4700
	0,74	F	VS1	VG	VG	G	MEDIUM	64,0	11,5	42,0	6,00	6,12	3,36	-22	4134	5300
	0,71	F	VS2	VG	VG	VG	NONE	58,0	15,5	43,0	5,59	5,65	3,57	-25	3750	5000
	0,70	F	VS2	VG	EX	VG	NONE	58,0	15,5	42,5	5,54	5,57	3,53	-22	3900	5000
	0,70	F	VS2	VG	VG	EX	FAINT	58,0	15,5	43,0	5,57	5,60	3,54	-25	3750	5000
	0,70	F	VS2	VG	VG	VG	NONE	57,0	15,5	43,0	5,59	5,62	3,55	-25	3750	5000
	0,71	F	SI1	VG	VG	VG	FAINT	58,0	15,5	43,0	5,57	5,61	3,55	-25	3375	4500
	0,70	F	SI1	VG	VG	VG	NONE	60,0	14,5	43,0	5,60	5,64	3,51	-25	3375	4500
	0,70	F	SI1	VG	EX	VG	NONE	56,0	14,5	42,5	5,63	5,66	3,50	-25	3375	4500
	0,70	F	SI1	VG	VG	VG	NONE	57,0	15,5	43,5	5,57	5,61	3,56	-25	3375	4500
	0,70	F	SI1	VG	EX	VG	FAINT	59,0	15,5	43,0	5,54	5,59	3,54	-25	3375	4500
	0,70	F	SI1	VG	VG	EX	NONE	59,0	14,5	44,0	5,57	5,61	3,56	-25	3375	4500
	0,70	F	SI1	VG	VG	VG	NONE	56,0	15,0	43,0	5,66	5,68	3,53	-25	3375	4500
	0,70	F	SI1	VG	VG	VG	NONE	61,0	14,0	42,5	5,61	5,65	3,48	-25	3375	4500
	0,70	F	SI2	VG	EX	EX	NONE	58,0	15,0	44,0	5,56	5,58	3,57	-22	2964	3800
	0,70	F	SI2	VG	VG	EX	NIL	59,0	15,5	43,0	5,58	5,64	3,53	-29	2698	3800
	0,81	G	VVS1	VG	EX	EX	NIL	61,0	12,0	44,0	5,98	5,99	3,65	-15	4930	5800
	0,70	G	VVS1	EX	EX	VG	NONE	60,0	13,0	43,0	5,72	5,74	3,45	-20	4640	5800
	0,70	G	VVS1	VG	VG	VG	NONE	56,0	16,0	43,0	5,55	5,58	3,55	-30	4060	5800
	0,70	G	VVS1	VG	EX	EX	NONE	57,0	15,5	43,0	5,55	5,59	3,56	-30	4060	5800
	0,72	G	VVS2	EX	VG	EX	FAINT	57,0	16,0	43,5	5,69	5,72	3,58	-20	4160	5200
	0,71	G	VS1	EX	EX	EX	DIUM BL	57,0	16,0	43,5	5,68	5,72	3,57	-25	3675	4900
	0,71	G	VS1	VG	VG	EX	NONE	58,0	13,5	43,0	5,79	5,83	3,48	-25	3675	4900
	0,71	G	VS2	VG	VG	EX	MEDIUM	58,0	15,5	43,5	5,69	5,72	3,53	-24	3496	4600
	0,71	G	SI1	EX	VG	EX	DIUM BL	55,0	15,0	43,5	5,73	5,75	3,55	-21	3318	4200
	0,70	G	SI1	VG	EX	VG	FAINT	59,0	15,0	43,0	5,59	5,63	3,52	-23	3234	4200
	0,70	G	SI1	VG	VG	VG	FAINT	60,0	14,0	44,5	5,56	5,61	3,55	-23	3234	4200
	0,70	G	SI1	VG	EX	VG	FAINT	58,0	15,5	43,0	5,56	5,61	3,54	-25	3150	4200
	0,70	G	SI1	VG	EX	EX	NONE	59,0	15,0	44,0	5,56	5,59	3,56	-25	3150	4200
	0,70	G	SI1	VG	VG	EX	FAINT	58,0	15,5	43,0	5,64	5,68	3,51	-25	3150	4200
	0,70	G	SI2	EX	VG	VG	NIL	57,0	15,5	43,0	5,67	5,70	3,52	-29	2485	3500
	0,71	H	IF	VG	EX	VG	STRONG	66,0	11,5	43,0	5,88	5,93	3,37	-35	3900	6000
	0,70	H	SI1	VG	EX	EX	FAINT	56,0	16,0	42,5	5,55	5,58	3,54	-25	2925	3900
	0,70	H	SI1	VG	VG	VG	NONE	60,0	14,0	44,5	5,58	5,62	3,57	-25	2925	3900
	0,71	I	VVS1	VG	VG	G	NONE	64,5	11,5	44,0	5,90	5,94	3,44	-36	2816	4400
	0,80	I	VS1	VG	EX	EX	NONE	59,0	14,5	45,0	5,82	5,85	3,75	-18	3198	3900
	0,70	I	VS1	EX	EX	VG	NONE	59,0	14,5	44,0	5,65	5,68	3,53	-21	3081	3900
	0,70	I	VS1	EX	EX	EX	NONE	60,0	13,5	43,5	5,69	5,71	3,50	-21	3081	3900
	0,70	I	VS1	VG	EX	EX	NONE	55,0	17,0	43,0	5,61	5,63	3,58	-21	3081	3900
	0,70	I	VS2	VG	G	VG	SLIGHT	63,0	14,5	44,0	5,63	5,67	3,49	-31	2553	3700
ROUNDS (0.60 - 0.69)																
	0,61	D	VS1	EX	EX	VG	NIL	62,0	12,5	43,5	5,54	5,57	3,27	-16	3948	4700
	0,61	D	VS1	EX	EX	EX	FAINT	56,0	15,5	43,0	5,43	5,47	3,38	-15	3995	4700
	0,61	D	VS1	EX	EX	EX	FAINT	58,0	15,0	43,0	5,46	5,48	3,36	-20	3760	4700
	0,60	D	VS1	EX	EX	VG	NONE	58,0	15,5	43,0	5,36	5,40	3,35	-20	3760	4700
	0,61	D	VS2	EX	EX	EX	NONE	56,0	16,0	43,0	5,40	5,41	3,40	-18	3608	4400
	0,61	D	VS2	EX	EX	EX	FAINT	56,0	14,5	43,0	5,44	5,46	3,36	-18	3608	4400
	0,61	D	VS2	EX	EX	EX	FAINT	60,0	13,5	43,0	5,48	5,51	3,30	-18	3608	4400
	0,60	D	VS2	EX	EX	EX	FAINT	56,0	15,0	43,0	5,43	5,47	3,33	-18	3608	4400
	0,60	D	VS2	EX	EX	VG	NONE	59,0	14,0	43,5	5,38	5,40	3,33	-18	3608	4400
	0,60	D	VS2	EX	VG	EX	NONE	61,0	14,0	43,5	5,37	5,40	3,31	-18	3608	4400
	0,60	D	VS2	EX	EX	VG	NONE	60,0	14,0	43,0	5,38	5,41	3,31	-18	3608	4400
	0,60	E	VS1	EX	EX	EX	NONE	60,0	13,0	44,5	5,43	5,44	3,35	-17	3569	4300

Cert.	Carats	Color	Clarity	Prop.	Pol.	Syn	Fluo.	Table	Crown	Pav.	Dia.Min	Dia.Max	Height	rap-%	0	rap	
		0,60	E	VS1	EX	EX	EX	NONE	61,0	12,5	44,0	5,44	5,46	3,28	-17	3569	4300
		0,60	E	VS1	EX	VG	EX	NONE	61,0	13,0	43,5	5,46	5,50	3,27	-18	3526	4300
		0,60	E	VS1	EX	EX	VG	NONE	58,0	14,5	43,0	5,43	5,46	3,32	-18	3526	4300
		0,60	E	VS1	EX	EX	VG	NONE	58,0	14,5	43,0	5,42	5,44	3,32	-18	3526	4300
		0,66	E	VS2	VG	VG	VG	MEDIUM	64,0	11,5	44,5	5,61	5,67	3,37	-18	3198	3900
		0,62	E	VS2	EX	EX	EX	FAINT	58,0	15,0	43,0	5,41	5,45	3,39	-18	3198	3900
		0,66	E	SI1	VG	VG	VG	MEDIUM	63,0	13,0	44,5	5,53	5,57	3,43	-18	2706	3300
		0,61	E	SI1	EX	EX	EX	NONE	59,0	14,0	43,5	5,42	5,43	3,36	-18	2706	3300
		0,62	F	IF	VG	VG	VG	NIL	59,0	15,0	43,0	5,44	5,50	3,36	-25	4200	5600
		0,60	F	IF	EX	EX	EX	NIL	60,0	14,0	44,0	5,40	5,42	3,33	-18	4592	5600
		0,60	F	VS1	EX	EX	EX	NONE	58,0	15,0	43,5	5,34	5,37	3,37	-19	3321	4100
		0,60	F	VS1	EX	EX	EX	FAINT	58,0	14,5	43,5	5,39	5,41	3,36	-19	3321	4100
		0,61	F	VS2	EX	EX	EX	FAINT	57,0	15,0	43,5	5,42	5,44	3,38	-20	2960	3700
		0,62	J	VVS1	VG	EX	EX	NIL	55,0	16,0	43,0	5,41	5,47	3,42	-23	2079	2700
		0,60	J	VVS1	VG	VG	VG	NIL	60,0	14,5	44,0	5,31	5,34	3,36	-23	2079	2700
		0,60	J	VVS1	VG	VG	VG	SLIGHT	58,0	15,5	43,0	5,37	5,45	3,34	-23	2079	2700
		0,60	J	VS2	VG	EX	VG	NIL	59,0	15,5	43,0	5,34	5,36	3,33	-23	1848	2400
		0,60	J	VS2	EX	EX	EX	NONE	61,0	12,5	44,0	5,47	5,48	3,29	-16	2016	2400
ROUNDS (0.50 - 0.59)																	
		0,50	D	IF	VG	VG	VG	NONE	56,0	16,0	42,5	5,01	5,08	3,16	-20	6800	8500
		0,50	D	IF	VG	EX	VG	NIL	57,0	16,0	43,0	4,98	5,00	3,17	-18	6970	8500
		0,53	D	VVS1	EX	VG	VG	NONE	58,0	14,5	42,5	5,19	5,21	3,15	-30	4480	6400
		0,55	D	VVS2	VG	EX	EX	SLIGHT	64,0	11,5	44,0	5,37	5,39	3,13	-25	3975	5300
		0,52	D	VVS2	EX	VG	VG	NIL	56,0	14,0	43,0	5,24	5,29	3,14	-26	3922	5300
		0,51	D	VVS2	EX	EX	EX	FAINT	61,0	14,0	43,0	5,12	5,14	3,12	-28	3816	5300
		0,50	D	VVS2	EX	EX	EX	FAINT	59,0	14,0	43,0	5,08	5,11	3,12	-28	3816	5300
		0,50	D	VVS2	EX	VG	EX	NONE	61,0	13,5	44,0	5,09	5,11	3,13	-28	3816	5300
		0,50	D	VVS2	EX	VG	EX	NONE	58,0	14,5	43,5	5,06	5,09	3,15	-28	3816	5300
		0,51	D	VS1	EX	VG	EX	NONE	61,0	13,0	43,5	5,17	5,21	3,12	-25	3525	4700
		0,50	D	VS1	VG	EX	G	NONE	58,0	15,5	42,5	4,97	4,98	3,16	-22	3666	4700
		0,50	D	VS1	VG	EX	VG	FAINT	57,0	16,0	43,5	4,91	4,99	3,20	-22	3666	4700
		0,50	D	VS1	VG	EX	VG	NONE	58,0	15,5	44,0	4,95	5,00	3,21	-22	3666	4700
		0,50	D	VS1	EX	EX	VG	NONE	59,0	13,5	44,0	5,08	5,11	3,14	-25	3525	4700
		0,50	D	VS1	EX	EX	VG	NONE	61,0	12,5	43,5	5,12	5,14	3,08	-25	3525	4700
		0,50	D	VS1	EX	VG	EX	NONE	57,0	14,0	43,0	5,12	5,14	3,12	-25	3525	4700
		0,50	D	VS1	EX	EX	EX	FAINT	59,0	14,5	44,0	5,08	5,11	3,17	-25	3525	4700
		0,50	D	VS1	EX	VG	EX	FAINT	60,0	14,0	43,0	5,07	5,09	3,12	-25	3525	4700
		0,50	D	VS1	EX	VG	EX	NONE	58,0	15,0	43,0	5,06	5,09	3,15	-25	3525	4700
		0,50	D	VS1	EX	VG	VG	NONE	59,0	13,5	44,0	5,13	5,14	3,13	-25	3525	4700
		0,57	D	VS2	EX	EX	EX	FAINT	58,0	14,5	43,0	5,30	5,33	3,29	-25	3300	4400
		0,54	D	VS2	EX	VG	EX	FAINT	59,0	13,5	44,0	5,23	5,25	3,21	-25	3300	4400
		0,53	D	VS2	EX	VG	EX	FAINT	61,0	13,0	44,0	5,25	5,28	3,16	-25	3300	4400
		0,52	D	VS2	EX	VG	EX	NONE	58,0	14,5	44,0	5,13	5,16	3,20	-25	3300	4400
		0,51	D	VS2	EX	EX	EX	FAINT	60,0	14,0	43,5	5,10	5,14	3,14	-25	3300	4400
		0,51	D	VS2	EX	VG	EX	NONE	59,0	13,5	43,0	5,16	5,18	3,12	-25	3300	4400
		0,51	D	VS2	EX	VG	EX	NONE	58,0	14,5	43,5	5,11	5,14	3,17	-25	3300	4400
		0,51	D	VS2	EX	VG	EX	NONE	56,0	14,5	43,0	5,13	5,16	3,15	-25	3300	4400
		0,51	D	VS2	EX	VG	EX	FAINT	57,0	15,0	43,0	5,14	5,16	3,16	-25	3300	4400
		0,50	D	VS2	VG	EX	VG	NONE	58,0	16,0	43,0	4,94	4,99	3,18	-25	3300	4400
		0,50	D	VS2	VG	EX	EX	NONE	58,0	16,0	43,5	4,93	4,98	3,19	-25	3300	4400
		0,50	D	VS2	EX	EX	VG	NONE	56,0	15,5	42,5	5,10	5,11	3,14	-25	3300	4400
		0,50	D	VS2	EX	VG	EX	NONE	58,0	15,0	43,0	5,05	5,09	3,15	-25	3300	4400
		0,50	D	VS2	EX	VG	EX	NONE	58,0	14,0	44,0	5,06	5,09	3,16	-25	3300	4400
		0,50	D	VS2	EX	EX	VG	NONE	60,0	14,5	43,0	5,04	5,07	3,12	-25	3300	4400
		0,50	D	VS2	EX	VG	EX	NONE	59,0	14,5	43,5	5,04	5,07	3,15	-25	3300	4400
		0,50	D	VS2	EX	VG	VG	NONE	60,0	13,0	43,0	5,16	5,20	3,08	-25	3300	4400
		0,50	D	VS2	EX	VG	EX	NONE	59,0	14,5	43,5	5,05	5,08	3,14	-25	3300	4400
		0,50	D	VS2	EX	VG	EX	NONE	59,0	14,5	44,0	5,07	5,09	3,16	-25	3300	4400
		0,57	D	SI1	EX	EX	EX	NONE	59,0	14,5	43,5	5,29	5,32	3,29	-26	2664	3600
		0,57	D	SI1	EX	EX	EX	FAINT	57,0	15,5	43,5	5,32	5,36	3,32	-25	2700	3600
		0,56	D	SI1	EX	EX	EX	NONE	59,0	14,0	43,0	5,27	5,29	3,23	-26	2664	3600

Cert.	Carats	Color	Clarity	Prop.	Pol.	Syn	Fluo.	Table	Crown	Pav.	Dia.Min	Dia.Max	Height	rap-%	0	rap	
	GIA	0,51	D	SI1	EX	EX	EX	NONE	60,0	14,0	43,5	5,12	5,15	3,14	-23	2772	3600
	GIA	0,51	D	SI1	EX	EX	EX	FAINT	58,0	14,5	43,0	5,09	5,12	3,15	-25	2700	3600
	GIA	0,51	D	SI1	EX	VG	EX	NONE	61,0	13,0	44,0	5,12	5,15	3,13	-26	2664	3600
	GIA	0,50	D	SI1	EX	EX	EX	NONE	57,0	14,5	44,0	5,11	5,12	3,16	-23	2772	3600
	GIA	0,50	D	SI1	EX	VG	VG	NONE	57,0	15,0	43,5	5,06	5,09	3,16	-26	2664	3600
	GIA	0,50	D	SI1	EX	EX	EX	NONE	60,0	13,0	43,5	5,11	5,14	3,10	-26	2664	3600
	GIA	0,50	D	SI1	EX	EX	VG	NONE	57,0	15,5	43,0	5,04	5,08	3,15	-26	2664	3600
	GIA	0,50	D	SI1	EX	VG	VG	NONE	58,0	15,0	43,5	5,06	5,09	3,16	-26	2664	3600
	GIA	0,50	D	SI1	EX	EX	EX	FAINT	60,0	14,0	43,5	5,07	5,10	3,13	-26	2664	3600
	GIA	0,50	D	SI1	EX	VG	VG	FAINT	57,0	14,5	43,5	5,05	5,07	3,15	-25	2700	3600
	GIA	0,50	D	SI1	EX	EX	EX	NONE	59,0	14,5	43,5	5,05	5,07	3,16	-23	2772	3600
	GIA	0,50	D	SI1	EX	VG	EX	NONE	59,0	14,5	43,0	5,07	5,10	3,12	-25	2700	3600
	GIA	0,50	D	SI1	EX	EX	VG	NONE	56,0	15,5	42,5	5,05	5,09	3,14	-25	2700	3600
	HUGO	0,55	E	VVS1	VG	VG	G	NIL	63,0	12,5	43,0	5,33	5,49	3,12	-33	3618	5400
	HUGO	0,54	E	VVS1	VG	VG	VG	NIL	61,0	13,0	44,0	5,25	5,34	3,17	-33	3618	5400
	HUGO	0,56	E	VVS2	VG	VG	G	NIL	62,0	13,5	44,0	5,29	5,45	3,22	-33	3149	4700
	GIA	0,55	E	VVS2	EX	EX	EX	FAINT	57,0	15,5	43,0	5,23	5,25	3,25	-26	3478	4700
	GIA	0,50	E	VVS2	EX	VG	EX	NONE	58,0	15,0	43,5	5,06	5,09	3,16	-25	3525	4700
	HUGO	0,56	E	VS1	VG	VG	G	NIL	63,0	12,0	43,5	5,35	5,44	3,15	-30	3010	4300
	GIA	0,50	E	VS1	EX	EX	EX	NONE	59,0	14,5	43,0	5,10	5,12	3,12	-23	3311	4300
	GIA	0,50	E	VS1	EX	EX	EX	DIUM BL	60,0	12,5	44,0	5,10	5,12	3,11	-23	3311	4300
	GIA	0,54	E	VS2	EX	EX	EX	FAINT	59,0	14,5	43,0	5,20	5,22	3,20	-25	2925	3900
	GIA	0,53	E	VS2	EX	VG	EX	NONE	58,0	15,0	43,0	5,16	5,20	3,21	-25	2925	3900
	GIA	0,52	E	VS2	EX	VG	EX	FAINT	59,0	14,0	44,0	5,16	5,19	3,19	-25	2925	3900
	GIA	0,51	E	VS2	EX	VG	EX	NONE	56,0	15,0	43,5	5,12	5,16	3,19	-26	2886	3900
	GIA	0,51	E	VS2	EX	VG	EX	NONE	58,0	15,0	43,5	5,10	5,13	3,18	-25	2925	3900
	HUGO	0,50	E	VS2	VG	VG	G	NIL	63,0	14,0	43,0	5,08	5,14	3,09	-23	3003	3900
	GIA	0,50	E	VS2	EX	EX	VG	NONE	57,0	14,5	43,0	5,08	5,11	3,13	-26	2886	3900
	GIA	0,50	E	VS2	EX	EX	EX	FAINT	59,0	14,5	43,5	5,06	5,08	3,15	-25	2925	3900
	GIA	0,50	E	VS2	EX	EX	VG	NONE	58,0	14,0	43,0	5,09	5,12	3,12	-25	2925	3900
	GIA	0,50	E	VS2	EX	VG	VG	NONE	62,0	12,5	43,5	5,14	5,17	3,08	-25	2925	3900
	GIA	0,50	E	VS2	EX	VG	EX	NONE	60,0	13,0	43,0	5,13	5,16	3,07	-25	2925	3900
	GIA	0,56	E	SI1	EX	EX	EX	NONE	58,0	14,5	43,5	5,25	5,27	3,26	-23	2541	3300
	GIA	0,53	E	SI1	EX	EX	EX	NONE	59,0	13,5	43,0	5,23	5,26	3,15	-23	2541	3300
	GIA	0,52	E	SI1	EX	EX	EX	NONE	57,0	15,0	43,0	5,16	5,18	3,18	-23	2541	3300
	GIA	0,51	E	SI1	EX	EX	EX	NONE	57,0	15,0	43,0	5,11	5,13	3,16	-23	2541	3300
	GIA	0,51	E	SI1	EX	EX	EX	NONE	60,0	13,5	43,0	5,14	5,16	3,12	-23	2541	3300
	GIA	0,51	E	SI1	EX	EX	VG	NONE	60,0	13,0	43,5	5,20	5,23	3,12	-25	2475	3300
	GIA	0,51	E	SI1	EX	VG	EX	NONE	57,0	14,5	44,0	5,12	5,14	3,18	-25	2475	3300
	GIA	0,50	E	SI1	EX	VG	VG	NONE	60,0	13,0	43,5	5,09	5,12	3,10	-26	2442	3300
	GIA	0,50	E	SI1	EX	EX	EX	NONE	59,0	13,5	44,0	5,10	5,12	3,13	-23	2541	3300
	GIA	0,50	E	SI1	EX	VG	EX	NONE	58,0	14,5	43,0	5,10	5,12	3,11	-25	2475	3300
	GIA	0,50	E	SI1	EX	EX	EX	NONE	55,0	14,5	43,5	5,07	5,09	3,17	-23	2541	3300
	GIA	0,50	E	SI1	EX	VG	EX	NONE	60,0	13,0	43,0	5,13	5,16	3,07	-25	2475	3300
	HUGO	0,52	F	IF	VG	VG	VG	NIL	61,0	11,5	43,0	5,37	5,41	3,03	-18	4592	5600
	HUGO	0,50	F	IF	VG	EX	VG	NIL	58,0	15,0	42,0	5,04	5,08	3,10	-18	4592	5600
	GIA	0,52	F	VVS2	EX	VG	EX	NONE	59,0	13,5	43,0	5,22	5,24	3,12	-25	3375	4500
	GIA	0,52	F	VS1	EX	VG	EX	FAINT	57,0	14,0	43,0	5,17	5,20	3,15	-25	3075	4100
	GIA	0,50	F	VS1	VG	EX	EX	NONE	60,0	14,0	44,0	5,05	5,09	3,14	-25	3075	4100
	GIA	0,50	F	VS1	VG	VG	EX	NONE	59,0	13,0	44,5	5,06	5,09	3,16	-25	3075	4100
	GIA	0,50	F	VS1	EX	VG	EX	FAINT	58,0	14,0	43,0	5,07	5,09	3,12	-25	3075	4100
	GIA	0,50	F	VS1	EX	VG	EX	FAINT	57,0	15,0	43,5	5,05	5,07	3,16	-25	3075	4100
	GIA	0,50	F	VS1	EX	VG	EX	NONE	57,0	15,0	43,0	5,04	5,06	3,16	-25	3075	4100
	GIA	0,50	F	VS1	EX	VG	EX	NONE	58,0	13,5	44,0	5,10	5,12	3,12	-25	3075	4100
	GIA	0,50	F	VS1	EX	VG	EX	NONE	59,0	13,5	43,5	5,10	5,13	3,11	-25	3075	4100
	GIA	0,50	F	VS1	VG	EX	VG	NONE	59,0	15,0	42,5	5,05	5,09	3,12	-25	3075	4100
	GIA	0,50	F	VS1	EX	VG	VG	NONE	60,0	14,0	44,0	5,08	5,11	3,12	-25	3075	4100
	GIA	0,50	F	VS1	EX	VG	EX	FAINT	58,0	15,0	43,5	5,07	5,09	3,16	-25	3075	4100
	GIA	0,50	F	VS1	VG	EX	VG	NONE	59,0	15,0	42,5	5,00	5,04	3,13	-25	3075	4100
	GIA	0,50	F	VS1	VG	EX	EX	NONE	59,0	13,5	44,0	5,03	5,07	3,16	-25	3075	4100
	GIA	0,50	F	VS1	EX	EX	VG	NONE	58,0	15,0	43,0	5,04	5,10	3,15	-25	3075	4100
	GIA	0,50	F	VS2	VG	EX	VG	FAINT	58,0	14,0	45,0	5,02	5,03	3,20	-23	2849	3700
	GIA	0,50	F	VS2	VG	EX	EX	FAINT	59,0	15,0	43,0	5,05	5,07	3,13	-25	2775	3700
	GIA	0,50	F	VS2	EX	VG	EX	NONE	56,0	14,0	43,5	5,09	5,12	3,14	-25	2775	3700
	GIA	0,50	F	VS2	VG	EX	EX	FAINT	60,0	13,0	43,0	5,16	5,17	3,08	-25	2775	3700
	GIA	0,57	F	SI1	EX	EX	EX	FAINT	57,0	15,0	43,5	5,30	5,31	3,31	-26	2294	3100

Cert.	Carats	Color	Clarity	Prop.	Pol.	Syn	Fluo.	Table	Crown	Pav.	Dia.Min	Dia.Max	Height	rap-%	0	rap
	0,50	F	SI1	EX	EX	EX	NONE	61,0	12,5	44,0	5,13	5,16	3,10	-22	2418	3100
	0,50	F	SI1	EX	VG	EX	NONE	58,0	14,0	44,0	5,07	5,09	3,16	-25	2325	3100
	0,50	F	SI1	EX	VG	EX	NONE	59,0	13,5	44,0	5,09	5,11	3,14	-23	2387	3100
	0,50	F	SI1	EX	EX	VG	NONE	58,0	15,5	43,0	5,03	5,06	3,14	-23	2387	3100
	0,50	F	SI1	EX	VG	EX	NONE	60,0	13,0	43,5	5,11	5,14	3,10	-23	2387	3100
	0,50	F	SI1	EX	EX	EX	FAINT	60,0	13,0	43,5	5,18	5,21	3,09	-25	2325	3100
	0,50	F	SI1	EX	VG	VG	NONE	60,0	14,5	43,5	5,07	5,10	3,13	-23	2387	3100
	0,50	F	SI2	VG	EX	EX	NONE	63,0	11,5	42,5	5,15	5,19	3,02	-28	1872	2600
	0,52	G	VVS1	VG	VG	VG	NIL	65,0	11,5	43,0	5,30	5,35	3,04	-27	3285	4500
	0,57	G	VS1	EX	EX	EX	NONE	58,0	14,5	43,5	5,28	5,30	3,29	-23	3003	3900
	0,57	G	VS2	EX	EX	EX	FAINT	59,0	13,0	44,0	5,33	5,36	3,26	-23	2772	3600
	0,55	G	VS2	EX	EX	EX	FAINT	59,0	14,5	43,5	5,23	5,26	3,24	-25	2700	3600
	0,54	G	VS2	EX	EX	EX	NONE	59,0	14,0	43,5	5,20	5,23	3,21	-25	2700	3600
	0,50	H	IF	VG	VG	VG	NIL	59,0	13,5	44,5	4,99	5,05	3,17	-18	3854	4700
	0,50	H	VVS1	VG	G	EX	SLIGHT	65,0	11,0	44,0	5,07	5,17	3,06	-38	2480	4000
	0,58	H	VS1	EX	EX	EX	SLIGHT	58,0	15,0	44,0	5,30	5,34	3,34	-23	2695	3500
	0,53	H	VS1	EX	EX	EX	SLIGHT	56,0	16,0	43,0	5,17	5,20	3,23	-23	2695	3500
	0,53	H	VS1	EX	EX	EX	SLIGHT	57,0	15,5	43,0	5,17	5,20	3,23	-23	2695	3500
	0,50	H	VS1	VG	EX	VG	SLIGHT	57,0	15,5	44,0	4,96	5,01	3,19	-23	2695	3500
	0,50	H	VS1	VG	EX	VG	NIL	56,0	17,0	43,0	4,97	5,00	3,19	-23	2695	3500
	0,50	I	IF	G	VG	VG	NONE	60,0	16,0	44,0	4,95	5,00	3,19	-30	2800	4000
	0,52	I	VVS2	EX	EX	EX	FAINT	59,0	13,5	44,0	5,20	5,23	3,18	-25	2250	3000
	0,52	I	VS1	EX	VG	EX	NONE	60,0	12,5	44,0	5,25	5,26	3,15	-23	2233	2900
	0,50	I	VS1	VG	EX	VG	NONE	58,0	14,5	45,0	4,99	4,99	3,22	-23	2233	2900
	0,58	J	VS2	VG	VG	EX	NIL	63,0	12,0	44,0	5,48	5,50	3,22	-23	1848	2400
	0,51	J	VS2	EX	EX	EX	NONE	55,0	15,0	42,5	5,11	5,14	3,16	-22	1872	2400
ROUNDS (0.40 - 0.49)																
	0,42	D	VVS2	EX	EX	VG	NIL	61,0	12,5	44,0	4,91	4,96	2,90	-28	2376	3300
	0,41	D	VVS2	VG	VG	VG	SLIGHT	63,0	13,0	43,0	4,83	4,89	2,84	-28	2376	3300
	0,41	D	VVS2	VG	VG	VG	NIL	61,0	12,5	44,0	4,81	4,90	2,90	-28	2376	3300
	0,40	D	SI2	VG	EX	VG	FAINT	57,0	16,0	43,0	4,59	4,61	2,96	-18	1886	2300
	0,43	E	VVS1	VG	VG	VG	NIL	62,0	13,0	43,5	4,82	4,92	2,94	-28	2376	3300
	0,40	E	VVS1	EX	VG	VG	NIL	61,0	13,0	44,0	4,79	4,81	2,89	-28	2376	3300
	0,40	E	VVS2	VG	G	VG	NIL	61,0	13,0	43,5	4,77	4,85	2,88	-28	2160	3000
	0,43	F	VVS1	VG	VG	VG	NIL	61,0	12,0	43,0	4,98	5,01	2,89	-28	2232	3100
	0,40	G	VS2	EX	EX	EX	NONE	56,0	15,5	43,0	4,69	4,71	2,94	-18	2050	2500
	0,45	G	SI1	VG	VG	G	NIL	58,0	15,0	43,5	4,87	4,93	3,04	-28	1584	2200
	0,41	G	SI1	VG	VG	EX	NIL	63,0	12,5	43,5	4,88	4,89	2,86	-28	1584	2200
	0,41	H	IF	EX	EX	VG	NIL	61,0	13,0	44,0	4,81	4,89	2,92	-20	2240	2800
	0,40	H	VS1	EX	EX	EX	FAINT	55,0	14,5	43,5	4,74	4,76	2,93	-18	2050	2500
	0,42	H	SI1	EX	VG	EX	NONE	58,0	15,0	43,5	4,78	4,82	2,97	-23	1617	2100
	0,41	H	SI1	VG	VG	VG	NONE	56,0	16,5	43,0	4,65	4,69	2,98	-23	1617	2100
	0,41	H	SI1	VG	VG	VG	NONE	61,0	13,0	45,0	4,72	4,75	2,97	-23	1617	2100
	0,40	H	SI1	VG	EX	EX	NONE	59,0	15,0	43,5	4,66	4,67	2,93	-23	1617	2100
	0,40	H	SI1	EX	EX	VG	NONE	60,0	13,0	43,0	4,75	4,79	2,85	-23	1617	2100
	0,40	H	SI1	EX	VG	EX	NONE	57,0	15,5	43,0	4,71	4,74	2,92	-23	1617	2100
	0,40	H	SI1	VG	EX	EX	NONE	57,0	16,0	43,0	4,65	4,69	2,94	-23	1617	2100
	0,40	H	SI1	VG	EX	EX	NONE	60,0	13,5	42,5	4,76	4,78	2,85	-23	1617	2100
	0,40	H	SI1	EX	VG	VG	NONE	58,0	15,5	43,0	4,67	4,72	2,92	-23	1617	2100
	0,46	I	VVS2	VG	EX	VG	NIL	65,0	12,5	44,0	5,04	5,06	2,99	-28	1584	2200
	0,44	I	VS1	VG	VG	EX	NIL	56,0	16,0	43,5	4,83	4,86	3,06	-28	1512	2100
ROUNDS (0.30 - 0.39)																
	0,35	D	VS1	EX	EX	VG	NONE	57,0	15,0	43,5	4,54	4,57	2,82	-28	1800	2500
	0,35	D	VS1	EX	EX	EX	FAINT	53,0	16,0	42,5	4,52	4,56	2,82	-26	1850	2500
	0,33	D	VS1	EX	EX	EX	FAINT	58,0	15,0	43,5	4,39	4,43	2,74	-26	1850	2500
	0,33	D	VS1	VG	VG	VG	NIL	61,0	12,0	43,0	4,52	4,55	2,64	-28	1800	2500
	0,35	D	VS2	EX	VG	VG	NIL	58,0	13,5	43,0	4,60	4,65	2,73	-28	1728	2400
	0,31	D	VS2	EX	EX	VG	NONE	57,0	15,0	43,5	4,32	4,35	2,71	-28	1728	2400
	0,30	D	VS2	VG	VG	EX	NONE	60,0	12,5	44,0	4,36	4,38	2,61	-28	1728	2400
	0,30	D	VS2	VG	EX	EX	NONE	58,0	15,5	44,0	4,21	4,23	2,72	-28	1728	2400
	0,30	D	VS2	VG	EX	VG	NONE	57,0	16,0	44,0	4,22	4,27	2,71	-28	1728	2400
	0,30	D	VS2	VG	EX	VG	NONE	57,0	16,0	42,5	4,19	4,21	2,67	-28	1728	2400
	0,37	D	SI1	EX	VG	VG	NIL	60,0	13,0	43,5	4,69	4,72	2,77	-28	1512	2100
	0,36	D	SI1	EX	EX	EX	NONE	56,0	15,5	43,0	4,52	4,55	2,84	-28	1512	2100
	0,35	D	SI1	VG	VG	VG	FAINT	57,0	16,0	43,5	4,43	4,45	2,84	-22	1638	2100
	0,35	D	SI1	EX	EX	EX	FAINT	56,0	15,5	43,5	4,52	4,54	2,81	-28	1512	2100
	0,34	D	SI1	EX	EX	EX	FAINT	58,0	15,0	43,5	4,45	4,48	2,79	-28	1512	2100

Cert.	Carats	Color	Clarity	Prop.	Pol.	Syn	Fluo.	Table	Crown	Pav.	Dia.Min	Dia.Max	Height	rap-%	0	rap						
	0,32	D	SI1	EX	EX	EX	FAINT	55,0	15,0	43,0	4,39	4,42	2,72	-28	1512	2100						
	0,32	D	SI1	EX	EX	EX	FAINT	55,0	16,0	43,0	4,36	4,38	2,74	-28	1512	2100						
	0,32	D	SI1	EX	EX	EX	NONE	59,0	14,5	43,5	4,37	4,39	2,72	-26	1554	2100						
	0,31	D	SI1	EX	EX	EX	FAINT	56,0	15,5	43,0	4,33	4,36	2,71	-28	1512	2100						
	0,30	D	SI1	VG	EX	VG	FAINT	59,0	15,5	44,0	4,17	4,18	2,69	-28	1512	2100						
	0,30	D	SI1	VG	VG	EX	NONE	58,0	16,0	44,0	4,20	4,22	2,71	-28	1512	2100						
	0,30	D	SI1	VG	EX	VG	NONE	58,0	13,5	43,5	4,28	4,30	2,63	-22	1638	2100						
	0,30	D	SI1	VG	EX	VG	NONE	56,0	15,5	43,5	4,19	4,22	2,68	-22	1638	2100						
	0,30	D	SI1	EX	EX	VG	NONE	55,0	16,5	43,0	4,26	4,29	2,68	-22	1638	2100						
	0,30	D	SI1	VG	EX	EX	FAINT	58,0	15,0	43,0	4,25	4,28	2,65	-22	1638	2100						
	0,30	D	SI1	VG	VG	EX	FAINT	58,0	15,5	43,0	4,24	4,26	2,66	-22	1638	2100						
	0,30	D	SI2	VG	VG	VG	FAINT	56,0	16,5	44,0	4,19	4,21	2,71	-25	1500	2000						
	0,30	D	SI2	VG	EX	VG	NONE	55,0	14,5	45,0	4,25	4,27	2,72	-25	1500	2000						
	0,30	E	IF	EX	EX	EX	NONE	60,0	13,0	43,0	4,37	4,39	2,59	-22	2262	2900						
	0,32	E	VS1	EX	EX	EX	NONE	56,0	16,0	43,5	4,35	4,37	2,74	-28	1656	2300						
	0,30	E	VS1	EX	VG	EX	NONE	61,0	12,5	43,0	4,38	4,40	2,57	-28	1656	2300						
	0,32	E	VS2	EX	VG	VG	NIL	60,0	14,5	44,0	4,41	4,44	2,70	-28	1584	2200						
	0,32	E	SI1	EX	EX	EX	NONE	57,0	15,5	43,0	4,40	4,42	2,74	-25	1500	2000						
	0,32	E	SI1	VG	VG	VG	NIL	64,0	11,5	44,0	4,51	4,57	2,61	-28	1440	2000						
	0,31	E	SI1	EX	EX	EX	NIL	61,0	13,0	43,5	4,42	4,47	2,61	-25	1500	2000						
	0,30	E	SI1	VG	EX	VG	NONE	64,0	12,0	44,5	4,28	4,29	2,62	-28	1440	2000						
	0,31	F	IF	VG	VG	VG	NIL	65,0	11,5	44,5	4,40	4,43	2,64	-22	2028	2600						
	0,34	F	VS2	VG	EX	EX	NIL	63,0	11,5	44,5	4,52	4,55	2,71	-28	1512	2100						
	0,31	F	VS2	G	VG	G	NIL	60,0	13,0	41,0	4,46	4,53	2,54	-33	1407	2100						
	0,30	F	VS2	EX	EX	EX	NONE	60,0	13,0	43,5	4,36	4,37	2,61	-25	1575	2100						
	0,30	F	VS2	VG	EX	VG	NONE	56,0	17,0	43,5	4,17	4,20	2,71	-28	1512	2100						
	0,34	F	SI1	EX	EX	EX	NIL	56,0	14,0	43,5	4,52	4,54	2,75	-25	1425	1900						
	0,31	F	SI1	EX	EX	EX	FAINT	58,0	14,5	44,0	4,33	4,35	2,69	-28	1368	1900						
	0,31	F	SI2	EX	EX	EX	NONE	61,0	13,0	43,0	4,40	4,41	2,63	-21	1422	1800						
	0,30	F	SI2	EX	VG	VG	FAINT	56,0	16,0	43,0	4,28	4,30	2,67	-21	1422	1800						
	0,31	G	IF	VG	VG	VG	NIL	55,0	15,5	42,5	4,37	4,40	2,68	-22	1950	2500						
	0,31	G	VVS1	VG	G	VG	NIL	57,0	15,5	41,5	4,36	4,37	2,65	-33	1608	2400						
	0,31	H	VS2	EX	VG	VG	NIL	62,0	12,0	43,5	4,44	4,47	2,62	-28	1368	1900						
	0,30	H	SI2	VG	VG	EX	NONE	55,0	16,5	43,0	4,23	4,24	2,69	-21	1264	1600						
CUSHION (3.00 - 3.99)																						
	3,05	J	VS1		VG	G	MEDIUM	52,0	20,5	46,0	7,80	9,49	5,30	-27	7738	10600						
CUSHION (1.00 - 1.99)																						
	1,23	H	VS1		MED		MEDIUM	56,0	22,5	37,5	5,94	6,49	4,06	-34	3696	5600						
	1,07	I	VS1		VG	G	NIL	60,0	24,0	45,5	5,59	6,27	4,11	-32	3332	4900						
	1,42	L	SI2		VG	G	MEDIUM	52,0	20,5	60,0	6,66	6,03	4,70	-22	1950	2500						
	1,00	M	SI2		G	FAIR	NIL	45,0	26,0	48,5	5,27	5,48	4,23	-35	1300	2000						
EMERALDS (3.00 - 7.99)																						
	7,84	E	VVS2		VG	G	FAINT	62,0			11,04	11,84	6,90	-6	57152	60800						
	6,54	G	IF		VG	G	NIL	74,0	10,0	48,5	10,69	11,95	6,34	-27	36573	50100						
	6,54	H	VVS1		VG	VG	NONE	73,0			10,72	12,01	6,32	-6	35250	37500						
EMERALDS (2.00 - 2.99)																						
	2,45	G	IF		VG	VG	SLIGHT	52,0	17,0	54,5	6,73	8,58	4,94	-33	10787	16100						
	2,14	G	VS1		VG	VG	NIL	71,0	12,5	51,0	6,74	8,42	4,32	-32	8704	12800						
	2,02	G	SI1		EX	VG	NONE	64,0			6,00	8,74	4,04	-35	6760	10400						
EMERALDS (1.00 - 1.99)																						
	1,00	G	VVS2		G	EX	STRONG	55,0	20,0	45,5	5,54	5,70	3,81	-43	3990	7000						
	1,02	G	VS1		VG	G	SLIGHT	59,0	20,0	62,0	4,66	6,10	3,98	-48	3484	6700						
HEART (3.00 - 5.99)																						
	4,83	H	VS2		EX	G	NIL	64,0	10,0	37,0	11,48	12,04	6,12	-25	15750	21000						
	4,17	I	VVS1		VG	G	NIL	68,0	9,0	35,0	11,27	11,91	5,27	-23	16093	20900						
MARQUISE (1.00 - 1.99)																						
	1,07	D	IF		VG	G	NIL	64,0	13,5	48,5	5,34	10,32	3,53	-41	9499	16100						
	1,02	I	SI2		VG	VG	MEDIUM	53,0			5,15	9,64	3,44	-31	2829	4100						
MARQUISE (0.50 - 0.99)																						
	0,55	D	VVS2		VG	G	NIL	56,0	14,0	39,5	4,10	9,46	2,34	-36	2496	3900						
OVALS (1.00 - 1.99)																						
	1,11	G	VVS2		VG	G	NIL	58,0	14,5	47,0	5,86	7,29	3,87	-33	4690	7000						
	1,04	I	IF		G		NIL	58,0	15,0	44,5	5,74	7,43	3,69	-29	3976	5600						
	1,15	K	VVS1		VG	G	NIL	57,0	15,0	43,0	7,92	6,10	3,70	-31	2553	3700						
PEARS (1.00 - 1.99)																						
							826	ratio top.0665														
	1,04	D	VVS1		VG	VG	NIL	65,0	15,5	45,0	5,88	8,10	3,70	-40	7140	11900						
	1,07	D	VS2		EX	VG	NONE	64,0			5,87	8,88	3,45	-32	5100	7500						

